

PEROVIAL®

## THE ART OF FEELING

LET INNOVATION LEAD STRAIGHT BACK TO LIFE

### Peyronie's Disease

The first HA-based treatment  
for the management of acute  
phase peyronie's disease




Caring Innovation

# What is PD?

Peyronie's disease (PD) is a condition that causes a curve to your penis when erect<sup>1</sup>.

Due to formation of plaque or scar tissue on 1 side of the penis<sup>2</sup>

The plaque can develop at any point along the penis (in the tunica albuginea)<sup>3</sup>



## PD Stages

### Acute / Early Stage

- **Duration:**  
12-18 months
- Progressive development of plaques, pain and curvature


### Chronic / Late Stage

- **Duration:**  
about 12-18 months after the acute phase
- Potential Plaque stabilisation and pain reduction, but deformity persists


# Risk Factors<sup>4,5</sup>



Diabetes



Getting older



Hypertension



Dupuytren's contracture




Prostate cancer



Lifestyle factors



**0.3% to 13.1%**  
**worldwide prevalence<sup>6</sup>**



About half of PD patients experience a progression of the disease with a negative impact on quality of life<sup>8</sup>

# Common Symptoms <sup>5</sup>

Symptoms will vary between each individual and may develop at different paces. This can range in severity too.



## Lumps or plaques

Lumps on one or more sides of the penis, can be tender and painful



## Pain

Pain during sexual intercourse or during an erection



## Deformity


Changes in the shape of the penis (narrowing or shortening)



## Erectile Dysfunction (ED)



## Penile shortening



## Penile Curvature

A curve in the penis with or without an erection – can occur in different directions

# Limited management options for PD

PD is a chronic condition with limited efficacious treatment options. Surgery is an option for the chronic stage.

However, many patients are not satisfied with the results. It is recommended to start treatment as soon as possible and in the acute stage.<sup>8</sup>

Vacuum pumps



Intralesional injections



Medication



Surgery



**Perovial may be suitable for you as part of your PD management. Please speak to your healthcare professional to discuss your options.**

## PEROVIAL<sup>®</sup>

Perovial is an up to 10-12 week course hyaluronic acid intrapenile injection, which has the ability to soften the plaque due to HA having antioxidative and antifibrotic effects.<sup>9</sup>

1 injection per week



**Improvement in penile curvature, plaque size and erectile function<sup>11\*,12#</sup>**



ONE OF THE  
**WORLD  
LEADERS**  
IN HYALURONIC  
ACID-BASED PRODUCTS

Operating  
in over  
**90**  
**COUNTRIES**  
on 5 continents



**90**  
**exclusive  
patents**  
AND SEVERAL OTHERS  
IN THE PIPELINE

## The Art of Feeling

We develop solutions designed to support intimate and urological health, helping people reconnect with sensation, confidence, and closeness.

### REFERENCES

1. NHS. Peyronie's disease. 2024.
2. Peyronie's Disease. 2025.
3. Sandean DP, et al. StatPearls. 2024.
4. Walsh T, et al. Res Rep Urol. 2016;8:61-70.
5. National Institute of Diabetes and Digestive and Kidney Diseases. 2019.
6. Al-Thakafi S, et al. Transl Androl Urol. 2016;5(3):280-9.
7. Abou A, et al. Arab J Urol. 2024;22(4):206-11.
8. British Dupuytren's Society. 2014.
9. IBSA (2025). Perovial - Instructions For Use.
10. Cocci A, et al. World J Mens Health. 2021;39(2):352-7.
11. Zucchi A, et al. Sex Med. 2016;4(2):e83-8.
12. Favilla V, et al. Andrology. 2017;5(4):771-5

\*Vs Verapamil #Vs baseline

### IBSA UK

Sullivan House, 4-6 Colonial Business Park,  
Colonial Way, Watford WD24 4PR, UK  
Phone: +44 1923 233 466

